Summary of need in Southampton

Drug Litter Scrutiny Inquiry

Charlotte Matthews, Consultant in Public Health 18.01.18



Southampton headline numbers

1483 (est) opiate and/or crack users, including 636 (est) who inject

Figures not available for people who inject other performance enhancing or other drugs

219 people used needle exchange facilities.

Others used pharmacy needle exchange, figures not available.

Increasing drug related deaths, rate higher than England.

43 people died from drugs, 2014-16.

Blood-borne virus rate similar to England, no recent outbreaks.

Est - estimate



Southampton services overview

Currently

- Treatment and harm minimisation service including needle exchange
- CGL ensuring they're optimising opiate replacement therapy effective dose as quickly as possible
- Homeless Vulnerable Adult Support Team (H-VAST) pilot
- Street-based Vulnerable Adults review.

Low threshold prescribing – current pilot in Portsmouth. Results due by Summer.

Internationally – heroin-assisted therapy for small minority struggling to engage in treatment.

Numbers in more detail....

Number of injecting drug users

Estimates

2014/15 estimate

1483 opiate and/or crack users in Southampton.

https://www.gov.uk/government/publications/opiate-and-crack-cocaine-use-prevalence-estimates-for-local-populations

2011/12 estimate

1649 opiate and/or crack users

Including estimated **636** injecting opiate and /or crack users.

3.83 per 1000 population

Compared to other areas:

- Higher than England 2.49, SE 1.97
- Similar to similar LA 3.19

 $\underline{https://fingertips.phe.org.uk/search/opiate\#page/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E06000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/91118/age/182/sex/4/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/9118/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/9118/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/918/gid/1/pat/10039/par/cat-39-4/ati/102/are/E060000045/iid/918/gid$



Number of injecting drug users using services

Needle exchange

- 219 distinct people (Q2 17/18)
- 34% of estimated injecting drug users (219/636)
- Others used pharmacy needle exchange figures on no. people not available

Structured treatment

- 162 self reports (Q3 17/18) under estimate
- 25% of estimated injecting drug users (162/636)

Drug related deaths

2014-16:

43 people died from drugs, using the Public Health England and ONS definition.

Rate of 6.2 per 100,000 people – higher (worse) than:

- England 4.2 difference statistically significant
- Similar Local Authorities 5.7
- Southampton 2013-15 5.1

Local audit of drug related deaths, using a wider definition Deaths in 2015:

- Average age 37, typically 35-39 years old
- Mostly from heroin +/- another substance including alcohol
- >half people not in treatment

Blood borne viruses

Hep B

41% (201) eligible people in treatment completed course of treatment vaccination, 2016/17.

Better than England average 29%

Hep C

93% (421) eligible people in treatment tested, 2016/17.

Better than England average 29%

20% prevalence among local shared care patients, 2013 audit.

49% prevalence among all clients in treatment agreeing to be tested, 2011/12 Unlinked Anon. Monitoring Survey of People who inject drugs.

England average 50%.

HIV

Not in an outbreak situation. 0% positive, small sample 2014.

Questions?